LISTING OF CLAIMS

- (Currently Amended) A phacoemulsification cannula comprising:

 a hub for engagement with a <u>phacoemulsification</u> surgical instrument;
 an elongated <u>phacoemulsification</u> needle having a proximal end attached to the hub and a distal end; and
 - the <u>phacoemulsification</u> needle having a first and second inner diameter wherein the first inner diameter is larger than the second inner diameter and wherein a transition from the first inner diameter to the second inner diameter is closer to the proximal end than to the distal end and wherein the first inner diameter extends from the distal end toward the proximal end[.] , and wherein ultrasonic energy is transferred from the surgical instrument to the needle during surgery.
- 2. (Original) The needle of claim 1, wherein the transition includes a radius.
- 3. (Canceled) The needle of claim 1, wherein the transition includes a conical surface connecting the first and second inner diameters.
- 4. (Canceled) The needle of claim 1, wherein the transition includes at least one additional inner diameter stepped between the first and second inner diameters wherein the additional inner diameter is smaller than the first inner diameter and larger than the second inner diameter.

- 5. (Currently Amended) A phacoemulsification needle comprising: an elongated <u>phacoemulsification</u> needle having proximal and distal ends, wherein the proximal end is structured for attachment to a <u>phacoemulsification</u> surgical instrument; and
 - the needle having a first and a second inner diameter wherein the first inner diameter is larger than the second inner diameter and wherein a transition from the first inner diameter to the second inner diameter is closer to the proximal end than to the distal end and wherein the first inner diameter extends from the distal end toward the proximal end.
- 6. (Original) The needle of claim 5, wherein the transition includes a radius.
- 7. (Canceled) The needle of claim 5, wherein the transition includes a conical surface connecting the first and second inner diameters.
- 8. (Canceled) The needle of claim 5, wherein the transition includes at least one additional inner diameter stepped between the first and second inner diameters wherein the additional inner diameter is small than the first inner diameter and larger than the second inner diameter.

- 9. (Currently Amended) A phacoemulsification cannula comprising: an elongated <u>phacoemulsification</u> needle having proximal and distal ends, wherein the proximal end is structured for attachment to a phacoemulsification surgical instrument;
 - a first bore within the cannula extending from the distal end toward the proximal end;
 - a second bore within the cannula extending from the proximal end to the first bore;
 - wherein the second bore has a smaller diameter than the first bore and is of sufficient length to provide a desired pressure drop during use across the length of the second bore and wherein an intersection of the first and second bores is nearer the proximal end than the distal end.
- 10. (Original) The needle of claim 9, wherein the transition includes a radius.
- 11. (Canceled) The needle of claim 9, wherein the transaction includes a conical surface connecting the first and second inner diameters.
- 12. (Canceled) The needle of claim 9, wherein the transition includes at least one additional inner diameter stepped between the first and second inner diameters wherein the additional inner diameter is smaller than the first inner diameter and larger than the second inner diameter.